VersionT_3x7 **A7TO** (KDC180/270/280/350/470/475)

1. [Enhanced] Centering function added at KDC Menu > Scan Options > ScanCentering (default: Disabled) to narrow down the scanning view (only applied to 2D imager models: KDC180/270C/280C/350C)
2. [Enhanced] Added social distancing feature added to KDC280/470/475 BLE5.0 models as well
3. [Updated] Corrected the OCR function
   - KDC270C/280C/470C: supports only MRZ (Passport OCR)
   - KDC180/350C-R2/475H: No OCR
   - KDC350C-R1: OCR-A, OCR-B, OCR US Currency, OCR MICR E13B, OCR Semi Font (no MRZ)
4. [Updated] Removed OPEN profile from BLE models (KDC180/280)
5. [Updated] Changed the menu name from "Sec. Numeric" to "Sec. Pairing" (only in SPP mode) (KDC180)

VersionT_285 **A7TN** (KDC180)

1. [Enhanced] Social distancing feature added

VersionT_3x7 **A7TN** (470/475)

6. Adjusted UHF Maximum Transmission Power Level

VersionT_285 **A7TK** (SKXPro)

1. Official initial release for SKXPro

VersionT_3x7 **A7T6** (KDC270/280/350)

1. [Enhanced] "Always-Pairing Mode" feature added for the easy reconnection. By default, it is enabled. (MENU → BT Service → AlwaysPairing)

VersionT_3x7 **A7TE** (KDC470/475/480/485)

7. [Enhanced] Added 3 more UHF tag read options for 1.0W and 0.5W UHF reader
8. [Enhanced] Changed UHF power level control now down to 0 dBm

VersionT_285 **A7TE** (KDC180)

1. [Enhanced] Added 3 more UHF tag read options for 1.0W and 0.5W UHF reader
2. [Enhanced] Two different firmware for multi-language (MENU → System → Language)
   - KDC180C_285JT for Japanese/English option
   - KDC180C_285T for Korean/English/French/Italian/Spanish option

116 Village Blvd, Suite 305, Princeton, NJ 08540 USA
T: + 1-609-256-4700 F: +1-609-228-4373
info@koamtac.com www.koamtac.com

1
© 2020 KOAMTAC, Inc.
Firmware_ReleaseHistory_20200820

3. [Enhanced] The brightness of LED bar (MENU → System → LED Control (default:10%)

VersionT_3x7 A7T9 (KDC470/475)

2. [Enhanced] "Always-Pairing Mode" feature added for the easy reconnection. By default, it is enabled.
3. [Enhanced] Supported Intelligent mail barcode

VersionT_285 A7P9 (KDC20)

1. [Enhanced] Improved an overall scanning performance

VersionT_285 A5P3 (KDC30)

1. [Changed] No power-off in case of a low battery

VersionT_3x7 A7P8 (KDC270)

1. Minor bug fixed

VersionT_285 A7P7 (KDC180)

1. [Enhanced] Supported a new NFC pairing
2. [Enhanced] Programmable LED indicators are implemented and available through SDK V3.05.10

116 Village Blvd, Suite 305, Princeton, NJ 08540 USA
T: + 1-609-256-4700 F: +1-609-228-4373
info@koamtac.com www.koamtac.com

2
© 2020 KOAMTAC, Inc.
Firmware_ReleaseHistory_20200820