

Data Collection & Charging Solutions

for Samsung Galaxy Tab Active5



Data Collection & Charging Solutions for Galaxy Tab Active5

Maximize efficiency while minimizing the costs of auto-identification systems with the Tab Active5 SmartSled. Create the perfect Tab Active5 solution with a breadth of available accessories including batteries, charging cradles, and more.



Data Collection & Charging Solutions




for Samsung Galaxy Tab Active5

Part Number	Product Photo	Description
892114 (US) 892111 (EU) 892112 (UK)		<p>1-Slot Charging Cradle for Galaxy Tab Active5 Protect your tablet's ports with the 1-Slot Charging Cradle, using pogo pins for easy, wear-free charging, supporting 15W fast charging, and including two USB Type-A ports for additional charging needs..</p> <p>Dimensions: 8.95" x 3.54" x 5.68" (227.4 mm x 90.0 mm x 144.3 mm)</p>
892124 (US) 892121 (EU) 892122 (UK)		<p>5-Slot Charging Cradle for Galaxy Tab Active5 Charge up to five tablets simultaneously with 15W fast charging support, boasting enhanced security features like temperature detection, water resistance, and charging timer for safer, secure charging.</p> <p>Dimensions: 10.85" x 8.85" x 5.74" (275.6 mm x 224.7 mm x 145.7 mm)</p>
896064 (US) 896061 (EU) 896062 (UK)		<p>2-Slot Charging Cradle for Galaxy Tab Active5 Each slot accommodates a spacer for the Galaxy Tab Active5, with or without a bumper. Spacers are included for a secure fit, but 15W fast charging support is not available.</p> <p>Dimensions: 9.11" x 5.91" x 2.59" (231.4 mm x 150 mm x 65.9 mm)</p> <p>Weight: 16.5 oz (467.8 g)</p>
896074 (US) 896071 (EU) 896072 (UK)		<p>4-Slot Charging Cradle for Galaxy Tab Active5 Each slot accommodates a spacer for the Galaxy Tab Active5, with or without a bumper. Spacers are included for a secure fit, but 15W fast charging support is not available.</p> <p>Dimensions: 9.11" x 11.81" x 2.59" (231.4 mm x 300 mm x 65.9 mm)</p> <p>Weight: 33.2 oz (941.2 g)</p>
699290		<p>Galaxy Tab Active5 4900mAh Samsung Original Smart Battery Genuine OEM high quality battery, also compatible with Tab Active3.</p> <p>Material: Lithium-Ion Polymer Cell Nominal Voltage: 3.85 V; Charge Voltage: 4.4 V Rated Capacity: 4900 mAh 18.87 Wh Typical Capacity: 5050 mAh 19.44 Wh</p>
896930 (US) 896900 (EU) 896910 (UK)		<p>Galaxy Tab Active5 5-slot Battery Charger Charge and store up to 5 batteries (Tab Active5 or Tab Active3) at one time. Ideal for swapping batteries at the end of the day. Enhanced charging protection ensures your battery life is protected.</p> <p>Dimensions: 3.94" x 8.21" x 2.19" (100 mm x 208.5 mm x 55.5 mm)</p> <p>Weight: 10.9 oz (309 g) without Battery 28.89 oz (819 g) with 5 Batteries</p>



Data Collection & Charging Solutions

for Samsung Galaxy Tab Active5

Part Number	Product Photo	Description
382550		<p>KDC480C SmartSled Barcode Scanner + SmartSled Case for Galaxy Tab Active5 Bundle</p> <p>The KD480C is a versatile 2D CMOS Imager Barcode Sled Scanner, ideal for mobile Auto-Identification. Its IP65 rating and 1.5m drop spec ensure durability. Paired with the SmartSled Charging Case for Samsung Galaxy Tab Active5, it's the ultimate Business 2D Sled Scanner, supporting all major barcodes, featuring 8MB internal flash memory, Bluetooth® Low Energy 5.0 compatibility, and backward compatibility with Samsung Galaxy Tab Active3.</p> <p>Power: Lithium-Ion, 1100 mAh Charge via Type-C USB connector or Charging Cradle</p> <p>Available Accessories: NFC/HF/short- & long-range UHF Readers Pistol Grip or Extended Battery Payment and IC Card Readers</p>
836810		<p>S Pen</p> <p>A replacement S Pen compatible with Samsung Galaxy Tab Active5, Tab Active4 Pro, and Tab Active3.</p>
Visit koamtacon.com		<p>KDC8 Software Decoder</p> <p>Efficiently scan millions of 1D and 2D barcodes with speed and accuracy. Benefit from true 360° omni-directionality for successful first-pass reads. Enjoy pre-configured integration with the latest Android camera APIs and one-button scanning via Samsung Knox (Available on select models). Customize the display and capture user scanning inputs with the "plug-in" architecture. Simplify the digital licensing process with one-time license authentication.</p>

